






CATALOGUE 11

Plugs and couplings



06/2016





Rohrman Schweisstechnik

Torches and more ...

Partner for welding distributors


Rohrman Schweißtechnik – a family company with more than 40 years of experience in welding technology.

We offer a variety of products for welding such as:

- TIG torches in different styles
- TIG spare parts and accessories
- TIG extension packages
- MIG/MAG torches in different styles
- MIG/MAG spare parts and accessories
- MIG/MAG extension- and interconnection cable packages
- Electrodes-, earth clamps- and cables
- Welding helmets
- Flame cutting torches, hoses and accessories
- Carbon arc gouging torches and accessories

In addition to standard torches we are specialized in **Tungsten Inert Gas** Welding. The wide range of products enables us to provide optimal solutions for different welding applications.

Please ask your welding distributor or feel free to contact us.



Rohrman Schweisstechnik

Tel.: +49(0)2162/106065-0

Fax: +49(0)2162/106065-55

www.rohrman.de · info@rohrman.de



Plugs and couplings

Suitable for the welding equipment of the producer:

Air Liquide	1.1
Apex	7.6
Bester	7.6
Castolin	5.5 5.6 5.7 5.8 7.10 7.11
CEA	6.1 6.3 14.1
Cebora	5.5 5.6 5.7 5.10 6.1 10.4 14.1
Cemont	7.14
Cife	7.6 14.4
Cloos	2.7 2.8 3.1 3.2 3.3 3.7 5.8 5.11 6.1 6.2 15.1 15.2
Dalex	3.1 5.5 5.6 5.7 7.10 7.11 16.1
DECA	3.6
D+L	5.5 5.6 5.7
Easy 300	7.6
Elektra-Beckum	7.15
Elmatechnik	7.10
Erfi	7.6
Ergus	7.6
Esab	2.1 3.9 23.1
ESS	3.1 3.6 5.5 5.6 5.7 5.8 17.1 30.1 30.2
Esseti	2.8 3.7 5.11 16.2
EWM	5.5 5.6 5.7 8.2 12.3 14.4 19.1
Format	7.6
Fimer	7.1
Fronius	5.5 5.6 5.7 6.1 6.2 9.1 14.4 37.1 37.2
GALAGAR	5.8
GYS	3.6
Hermann	5.3
Jäckle	5.5 5.6 5.7 7.10
Kemppi	4.1 4.2 4.5 7.1 7.4 7.5 10.1 10.2 24.1
Kjellberg	5.5 5.6 5.7 7.10 7.11
Lincoln	4.1 5.2 5.5 5.6 5.7 6.1 6.2
Lorch	3.4 5.5 5.6 5.7 6.3 7.10 9.3 17.2

L-Tec	5.5 5.6 5.7
Mahe	5.5 5.6 5.7
Merkle	3.1 3.2 3.3 5.5 5.6 5.7
Messer	3.1 3.2 3.3 5.5 5.6 5.7
MIGATRONIC	6.3 7.6 8.1 8.5 14.4
Migomat	5.5 5.6 5.7 7.10
Miller	5.2 6.1 6.2 14.1 14.4
nimak	5.5 5.6 5.7
Oerlikon	3.5 5.5 5.6 5.7 6.1 6.2 7.14
Pegas	14.4
Platec	5.7
Protec	7.6
Rehm Tiger	17.2
Röwac	5.5 5.6 5.7 5.8 14.4 37.1 37.2
Salteco	7.10
Sechy	7.1
Selco	4.5 5.8 7.16
SOL	3.7 5.11 7.6
Solter	5.8
Starweld	14.1 14.4
STEL	3.1 3.2 3.3 4.1 7.6
Schweißring	7.6
SWP	2.1
Technolit	5.8
TELWIN	3.1 3.2 3.3 14.4
Thermal Arc	8.5
Thermal Dynamics	8.5
UTP	4.1 4.2 4.5 5.5 5.6 5.7
WECO	14.1 17.2
Weldotec	5.8
Waltersdorf	3.7 5.11 7.6
WTL	14.4

Note

The survey gives information to the plugs matching the different power sources.

To compare the design and the lay-out of the drawings give more information on the plugs.

Other combinations may be possible

Legend

*The plugs shown in this catalog are compatible with the product of the original manufacturer.

It may concern however non- original parts.

The denomination of the manufacturer serves exclusively better identification.




No connection with Rohrman Schweißtechnik GmbH exists.

**More suitable welding plants are listed in the machine list.

Copyright

All texts, photos, designs and othe information published be subject to the authorisation of Rohrman Schweißtechnik, unless otherwise indicated, the copyright of Rohrman Schweißtechnik GmbH.

Any copy of this catalogue, even in part, is only authorized with the explicit written approval of Rohrman Schweißtechnik GmbH.



Plugs and couplings, 1 pin


1.1 | Banana plugs | 8553160002P



Suitable for welding plant: Air Liquide

Plugs and couplings, 2 pin

2.1 | Plug male | 8553410204PMK



Suitable for welding plant: Esab, SWP | *Amphenol MS

2.2 | Coupling | 8553410204SWK



Suitable for welding plant: - | *Amphenol MS

2.3 | Plug male | 8553410204PF




Suitable for welding plant: - | *Amphenol MS

2.4 | Coupling | 8553410204SF




Suitable for welding plant: - | *Amphenol MS

2.5 | Coupling | 8553450213S



Suitable for welding plant:
Javac, Schweißkraft

2.6 | Plug male | 8553320200P-K



Suitable for welding plant: - | *Redel

2.7 | Plug male | 85539902-B1-01



Suitable for welding plant: Cloos | *Bosch

2.8 | Plug male | 8553360200P-K



Suitable for welding plant:
Cloos, Esseti



Plugs and couplings, 3 pin

3.1 | Plug male | 8553050300PBK

Suitable for welding plant: Cloos, Dalex, ESS, Merkle, Messer, STEL, TELWIN

3.2 | Coupling | 8553050300SRK

Suitable for welding plant: Cloos, Merkle, Messer, STEL, TELWIN

3.3 | Coupling | 8553050300SFK

Suitable for welding plant: Cloos, Merkle, Messer, STEL, TELWIN

3.4 | Plug male | 8553160003-3,5

Suitable for welding plant: Lorch

3.5 | Plug male | 8553160003-6,3

Suitable for welding plant: Oerlikon

3.6 | Plug male | 8553350300P-K

Suitable for welding plant: ESS, DECA, GYS

*Renk

3.7 | Plug male | 8553300300P-K

Suitable for welding plant: Cloos, Esseti, Woltersdorf, SOL

*Neutrik

3.8 | Coupling | 8553300300S-K

Suitable for welding plant: -

*Neutrik

3.9 | Plug male | 8553470312PK

Suitable for welding plant: ESAB

*Pushpull

Plugs and couplings, 4 pin

4.1 | Plug male | 8553410410PMK

Suitable for welding plant: Kemppi, Lincoln, UTP, STEL

*Amphenol MS

4.2 | Coupling | 8553410410SWK

Suitable for welding plant: Kemppi, UTP

*Amphenol MS

4.3 | Plug male | 85530204EMPW

Suitable for welding plant: -

*Amphenol 3+PE

4.4 | Coupling | 85530204EMSL

Suitable for welding plant: -

*Amphenol 3+PE




4.5 | Plug male | 8553120400PMK

Suitable for welding plant: Kemppi, UTP, Selco

*AMP


4.6 | Plug male | 855348M1204P1G

Suitable for welding plant: Esab



Plugs and couplings, 5 pin

5.1 | Plug male | 8553410508PMK




Suitable for welding plant: - | *Amphenol MS

5.2 | Plug male | 8553410510PMK




Suitable for welding plant: Lincoln, Miller | *Amphenol MS

5.3 | Plug male | 8553040500PWK




Suitable for welding plant: Hermann

5.4 | Coupling | 8553040500SWK



Suitable for welding plant: -

5.5 | Plug male | 8553050500PBK




Suitable for welding plant: Castolin, Cebora, D+L, Dalex, ESS, EWM**

5.6 | Coupling | 8553050500SRK



Suitable for welding plant: Castolin, Cebora, D+L, Dalex, ESS, EWM**

5.7 | Coupling | 8553050500SFK



Suitable for welding plant: Castolin, Cebora, D+L, Dalex, ESS, EWM**

5.8 | Plug male | 8553060500PWK



Suitable for welding plant: Cloos, RÖWAC, Selco, ESS, Castolin**

5.9 | Coupling | 8553060500SWK




Suitable for welding plant: -

5.10 | Plug male | 8553190513PMK




Suitable for welding plant: Cebora | *JM

5.11 | Plug male | 8553300500P-K



Suitable for welding plant: Cloos, Esseti, Woltersdorf, SOL | *Neutrik


5.12 | Coupling | 8553300500S-K



Suitable for welding plant: - | *Neutrik

Plugs and couplings, 6 pin

6.1 | Plug male | 8553410606PMK



Suitable for welding plant: Cebora, Cea, Fronius, Cloos, Lincoln** | *Amphenol MS

6.2 | Plug male | 8553410610PMK




Suitable for welding plant: Fronius, Cloos, Lincoln, Miller, Oerlikon | *Amphenol MS

6.3 | Plug male | 8553240603P-K



Suitable for welding plant: MIGATRONIC, Lorch, CEA | *Harting Staf

6.4 | Coupling | 8553240603S-K




Suitable for welding plant: - | *Harting Staf

** More suitable welding plants are listed in the machine list.



Plugs and couplings, 7 pin


7.1 | Plug male | 8553410708PMK



Suitable for welding plant:
Kemppi, Fimer Tech, Sechy

*Amphenol MS

7.2 | Coupling | 8553410708SMK



Suitable for welding plant: -

*Amphenol MS


7.3 | Coupling | 8553410708SWK



Suitable for welding plant: -

*Amphenol MS

7.4 | Plug male | 8553410708PMK-Z



Suitable for welding plant:
Kemppi (MLS)

*Amphenol MS


7.5 | Coupling | 8553410708SF



Suitable for welding plant: Kemppi

*Amphenol MS


7.6 | Plug male | 85530207EMPWL



Suitable for welding plant: Migatronik,
Bester, Rehm, Cife**

*Amphenol 6+PE


7.7 | Plug male | 85530207EMSML



Suitable for welding plant: -

*Amphenol 6+PE

7.8 | Plug male | 85530207EMPFL



Suitable for welding plant: -

*Amphenol 6+PE


7.9 | Coupling | 85530207EMSFL



Suitable for welding plant: -

*Amphenol 6+PE


7.10 | Plug male | 8553050700PBK



Suitable for welding plant: Kjellberg,
Dalex, Castolin, Salteco, Elmatechnik**

*Amphenol


7.11 | Coupling | 8553050700SRK



Suitable for welding plant:
Castolin, Dalex, Kjellberg

*Amphenol

7.12 | Coupling | 8553050700SFK



Suitable for welding plant: -

*Amphenol

7.13 | Plug male | 8553060700PWK



Suitable for welding plant: -


*Amphenol

7.14 | Plug male | 8553160005P-K



Suitable for welding plant:
Cemont, Oerlikon

7.15 | Plug male | 8553150700PMK



Suitable for welding plant:
Elektra-Beckum

*Schaltbau




7.16 | Plug male | 8553380700P



Suitable for welding plant: Selco

*Commital

**More suitable welding plants are listed in the machine list.




Plugs and couplings, 8 pin

8.1 | Plug male | 8553410810PMK




Suitable for welding plant: Migatronic | *Amphenol MS

8.2 | Plug male | 8553110812PRACK




Suitable for welding plant: EWM | *Burndy

8.3 | Coupling | 8553110812SRACK




Suitable for welding plant: - | *Burndy

8.4 | Coupling | 8553110812SF



Suitable for welding plant: - | *Burndy


8.5 | Plug male | 8553120800PMK



Suitable for welding plant: Migatronic, Thermal Arc, Thermal Dynamics | *AMP


Plugs and couplings, 9 pin

9.1 | Plug male | 8553080900P-K



Suitable for welding plant: Fronius

9.2 | Coupling | 8553080900S-K



Suitable for welding plant: -


9.3 | Plug male | 8553420009P



Suitable for welding plant: Lorch | *D-Sub


Plugs and couplings, 10 pin

10.1 | Plug male | 8553411010PMK




Suitable for welding plant: Kemppi | *Amphenol MS

10.2 | Coupling | 8553411010SMK



Suitable for welding plant: Kemppi | *Amphenol MS

10.3 | Coupling | 8553411010SWK



Suitable for welding plant: - | *Amphenol MS

10.4 | Plug male | 8553191016PMK




Suitable for welding plant: Cebora | *JM 1610




Plugs and couplings, 12 pin

12.1 | Plug male | 8553091200PM




Suitable for welding plant: Rehm | *ECTA544

12.2 | Coupling | 8553091200SW



Suitable for welding plant: - | *ECTA544


12.3 | Plug male | 8553111214PRACK



Suitable for welding plant: EWM | *Burdy


Plugs and couplings, 14 pin

14.1 | Plug male | 8553411412PMK




Suitable for welding plant: Cebora, Cea, Miller, WECO, Starweld | *Amphenol MS

14.2 | Coupling | 8553411412SMK



Suitable for welding plant: - | *Amphenol MS

14.3 | Coupling | 8553411412SWK



Suitable for welding plant: - | *Amphenol MS


14.4 | Plug male | 8553121400PM



Suitable for welding plant: EWM, Telwin, Fronius, Cife, Miller** | *AMP


Plugs and couplings, 15 pin

15.1 | Plug male | 8553211510PG



Suitable for welding plant: Cloos | *Harting


15.2 | Coupling | 8553211510SG



Suitable for welding plant: Cloos | *Harting


Plugs and couplings, 16 pin

16.1 | Plug male | 8553411616PMK




Suitable for welding plant: Dalex | *Amphenol MS

16.2 | Plug male | 8553191625PMK






Suitable for welding plant: ESSETI | *JM 2516

16.3 | Coupling | 8553191625SMK




Suitable for welding plant: - | *JM 2516

**More suitable welding plants are listed in the machine list.



Plugs and couplings, 17 pin


17.1 | Plug male | 8553411712PMK



Suitable for welding plant:
Startweld, ESS

*Amphenol MS

17.2 | Plug male | 8553031811PR




Suitable for welding plant:
Rehm Tiger, Lorch, WECO

*Amphenol

Plugs and couplings, 19 pin


19.1 | Plug male | 8553111916PRACK



Suitable for welding plant: EWM

*Burndy

19.2 | Coupling | 8553111916SRACK




Suitable for welding plant: -

*Burndy

Plugs and couplings, 23 pin

23.1 | Plug male | 8553112318PR



Suitable for welding plant: ESAB

*Burndy

Plugs and couplings, 24 pin

24.1 | Plug male | 8553412416PMK




Suitable for welding plant: Kemppi

*Amphenol




Plugs and couplings, 30 pin

30.1 | Plug male | 8553073000P-K



Suitable for welding plant: ESS | *Amphenol


30.2 | Coupling | 8553073000S-K



Suitable for welding plant: ESS | *Amphenol


Plugs and couplings, 37 pin

37.1 | Plug male | 8553123700PMK




Suitable for welding plant:
Fronius, Rówac | *AMP

37.2 | Coupling | 8553123700SMK



Suitable for welding plant:
Fronius, Rówac | *AMP



More information may be obtained from your dealer.

